

Greg S. Cohen, MD

GI Lab Address

259 East Erie Street, Lavin Family Pavilion  go here for the procedure

16th Floor Reception Area

Chicago, IL 60611 312-695-4452

Outpatient Flexible Sigmoidoscopy (Flex Sig) Instructions

Your procedure is scheduled for _____, _____ .
Please arrive at _____ am/pm in order to register prior to the exam.
Plan to spend 1 hour in the GI Lab from start to finish (2 1/2 hours if you are sedated).

Diagnosis: _____

Please read carefully all the instructions **TODAY** and at least one week before your procedure and follow the instructions exactly. Failure to do so may result in the need to reschedule your procedure. If you have questions please call 312-695-4452 Monday – Friday, 8:00 am – 4:00 pm. After hours, we can be reached at 800-449-4929. **If you need to cancel, you must call with at least 3 business days notice in order to avoid a “no show” fee.**

ABOUT THE FLEXIBLE SIGMOIDOSCOPY

This procedure is an endoscopic examination of the left side of your colon by a physician. A thin, flexible tube with a video camera at the tip is used to examine the colon. If necessary, a small piece of tissue (biopsy) can be removed for further examination under a microscope. If a polyp is found, you may need to be rescheduled for a complete colonoscopy in order to remove it. The test will take approximately 15-20 minutes to complete. Every effort will be made to keep your appointment at the scheduled time, but in medicine, unexpected delays and emergencies may occur and your wait time may be prolonged. We give each patient the attention needed for his or her procedure. This test is usually performed with no anesthesia, but I.V. sedation can be given if special arrangements are made ahead of time (see below).

IF IV SEDATION IS USED FOR THE PROCEDURE:

- You **may not** drive, operate machinery, make important decisions, or return to work for the remainder of the day following your procedure. You may resume normal activities the next day unless the doctor states otherwise.
- You **must have** a responsible adult to accompany you home after the procedure. This person must pick you up in the GI Lab. If you have another Doctor’s appointment or any other testing at Northwestern Memorial Hospital after your GI Lab procedure, a responsible adult must escort you out of the GI Lab and to your appointment.
- You **may not** walk, take a taxi, or any public transportation home unless you are accompanied by a responsible adult.
- If our staff cannot confirm that you have made safe plans for discharge after your procedure, your procedure will be cancelled.
- If you are unable to have someone accompany you home after your procedure, as a last resort you can arrange a ride home with **Illinois Medi Car** through Superior Ambulance Company by calling **630-832-2000**. Payment for the transport must be provided prior to or at time of service and can be made over the phone at 630-832-2000. The base rate is \$30 and the per mile rate is \$3. If you have made Illinois Medi Car arrangements for your discharge home, please inform the GI Lab staff on the day of your procedure.

It is your responsibility to check with your insurance company to see if they require authorization prior to performing the procedure, and if required you must forward any insurance forms to our office. You should also check that Northwestern Memorial Hospital is in your insurance network. If your insurance company requires you to have a referral for your procedure, please bring it with you on the day of your procedure.

REMINDER

You need to purchase your 3 Fleet enemas. This item is available at your local pharmacy or can be purchased in the hospital pharmacy.

ONE WEEK BEFORE YOUR SIGMOIDOSCOPY

For best outcome, avoid eating foods that contain seeds, nuts, hulls, berries, or kernels (such as popcorn, poppy seeds, tomatoes, cucumbers, etc.). However, this instruction is not critical.

DAY BEFORE YOUR SIGMOIDOSCOPY

1. On the evening before the test, eat a clear liquid supper. Clear liquids include water, black coffee, tea with sugar, clear broth, bouillon, and clear juices such as apple or cranberry juice (no juices which contain pulp), ices, popsicles, and plain jello.
2. Before going to bed, give yourself one Fleet enema. Please follow the instructions on the box. It is important to try and hold the fluid for at least 10 minutes before emptying your bowel.

DAY OF YOUR FLEXIBLE SIGMOIDOSCOPY

1. On the morning of the examination, one or two hours before your appointment, give yourself the 2 remaining Fleet enemas. Take one, holding the fluid for at least 10 minutes. Expel the fluid and stool and repeat the process with the final enema. It is important to retain the fluid for 10 minutes to allow the bowel to be cleansed.
2. Eat a clear liquid breakfast. If your appointment is in the afternoon, you may continue on clear liquids until your appointment time.
3. Medications: You may take any early morning medications. If you take insulin, please check with your doctor about dosage adjustment for the day before the procedure and the day of the procedure. Please check your blood sugar at home before coming for the test.
4. After arriving at the hospital, make one more attempt to empty your bowel.

WHAT TO EXPECT ON THE DAY OF YOUR FLEXIBLE SIGMOIDOSCOPY

- You may brush your teeth, but do not swallow any water.
- You may take your usual medications with small sips of water. If you use inhalers, prescription eye drops or nasal sprays, you may take them as you would normally and then bring them with you.
- Please bring your **completed** MEDICATION LIST with you (see the last page of these instructions).
- If you have a colostomy or ileostomy, please bring an extra set of stoma supplies (flange, pouch, etc.) so that your stoma pouch can be replaced following the procedure.
- Wear comfortable clothing that is easy to remove and **leave jewelry and any other valuables at home.**
- Please limit your visitors to 1 or 2 friends or family members. Please speak with one of the GI Lab staff members if you have a special circumstance or request.
- Parking is available in the Lavin Family Pavilion and can be accessed from either Erie Street or Ontario Street. Remember to bring your parking ticket with you for validation.

- Report to the GI Lab on the 16th Floor of the Lavin Family Pavilion to check in at the registration desk at the arrival time scheduled by your Doctor's office.
- You will be required to show a photo ID, verify insurance information, address, phone number, and e-mail address.
- If you are concerned that you have been waiting too long after you have checked in, please speak to the front desk staff or a GI Lab staff member.
- You will be brought into the GI Lab where a nurse will review your medical history, current medication list, and that you have taken your preparation appropriately. You will be asked to put on a hospital gown. An intravenous line (IV) will be started for your sedation during the procedure. If you are female, you will be offered a free pregnancy test prior to the procedure, per hospital policy. If you have a history of falling or fainting, please tell the nurse before the IV is placed.
- During the procedure, your heart rate, blood pressure and oxygen level will be monitored.
- You will be required to sign a consent form with the doctor prior to your procedure.
- When your procedure is done, you will remain in the recovery room for **at least** 1 hour (only if sedation is used – otherwise you will be discharged shortly after the procedure).
- You may experience effects from the sedation, such as being tired and forgetful, for a few hours after your procedure.
- The recovery room nurse will review what you should expect to feel for the remainder of the day. This includes feeling some gas pain.
- After the procedure, you will receive preliminary results and follow-up instructions.
- When you leave the GI Lab, please remember to take all of your belongings and your discharge instructions.

